

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2753	(magnetic adj resonance) and (capacit\$4) and ((multiple or plurality or many or array or group or various or two or dual or second\$4 or different or additional) near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 19:20
L2	580	(magnetic adj resonance) and (capacit\$4 with (coil or antenna or resonator or conductor or "rf" or "r.f." or radio adj frequency or radiofrequency)) and ((multiple or plurality or many or array or group or various or two or dual or second\$4 or different or additional) near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 19:22
L3	257	(magnetic adj resonance) and (capacit\$4 with (coil or antenna or resonator or conductor or "rf" or "r.f." or radio adj frequency or radiofrequency)) and ((chang\$4 or switch\$3 or operat\$3) near4 (multiple or plurality or many or array or group or various or two or dual or second\$4 or different or additional) near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 19:23
L4	36	3 and (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 19:24
L5	164	3 not (@ad> "20031208" or @rlad> "20031208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 19:37
L6	53	5 and (tun\$4 near4 frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 19:54
L7	23	6 and (amplitude)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 19:55

L8	1	("20070268018").PN.	US-PGPUB	OR	OFF	2008/05/26 22:59
L9	3016	(magnetic adj resonance) and (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 22:59
L10	1306	9 not (@ad>"20031208" or @rlad>"20031208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 23:00
L11	11	10 and (tun\$4 near4 frequenc \$3 with capacit\$4 with (coil or antenna or resonator or conductor or "rf" or "r.f." or radio adj frequency or radiofrequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 23:01
L12	2446	9 not (@ad>"20060601" or @rlad>"20060601")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 23:18
L13	18	12 and (tun\$4 near4 frequenc \$3 with capacit\$4 with (coil or antenna or resonator or conductor or "rf" or "r.f." or radio adj frequency or radiofrequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 23:19
L14	22	12 and (tun\$4 near4 frequenc \$3 with capacit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/26 23:58
L15	8776	(magnetic adj resonance) and (remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:03
L16	7737	15 not (@ad>"20060601" or @rlad>"20060601")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:03
L17	114	16 and (tun\$4 near4 frequenc \$3 with capacit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:03
L18	10	(US-7239139-\$ or US- 7205768-\$ or US-7180291-\$ or US-7098659-\$ or US- 7026818-\$ or US-6850064-\$ or US-5212450-\$ or US- 6236205-\$ or US-6593744-\$ or US-5666055-\$).did.	USPAT	OR	ON	2008/05/27 00:38

L19	1	18 and (rectif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:38
L20	2	18 and (high-frequency or low-frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:39
L21	87	3 and (tun\$4 near4 frequenc \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:42
L22	23	21 and (high\$3-frequency or high\$3 near frequency) and (low\$3-frequency or low\$3 near frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:43
L23	1	22 and (rectif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:45
L24	3	21 and (rectif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 00:46
L25	8	18 and (reconstruct\$4 or "ft" or fourier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 01:06
L26	4	18 and (transform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 01:07
L27	5	18 and (transform\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/05/27 01:07

5/ 27/ 08 1:49:15 AM

C:\Documents and Settings\DVargas\My Documents\EAST\Workspaces\10596147.wsp